

Screening del tumore alla prostata

Punteggi AGREE delle Linee Guida selezionate

Le tabelle sottostanti riportano i punteggi AGREE Area Specifici delle diverse Linee Guida.

La percentuale in ciascuna casella rappresenta il punteggio standardizzato assegnato da 3 valutatori che indipendentemente hanno applicato lo strumento AGREE, ed esprimono in che misura la Linea Guida soddisfa il massimo punteggio ottenibile in ciascuna area.

Legenda colori

	0-25%
	26-50%
	51-75%
	76-100%

		Area 1 Obiettivo e Motivazione	Area 2 Coinvolgimento delle parti in causa	Area 3 Rigore della elaborazione	Area 4 Chiarezza e presentazione	Area 5 Applicabilità	Area 6 Indipendenza editoriale
1	ACPM	56%	33%	17%	13%	44%	75%
2	ACS	89%	38%	38%	50%	33%	25%
3	AGENAS	67%	42%	60%	46%	28%	50%
4	AIOM	39%	38%	38%	46%	17%	17%
5	AUA	67%	42%	31%	38%	17%	67%
6	AURO	100%	71%	90%	83%	67%	50%
7	Brasile	67%	33%	43%	38%	11%	8%
8	EAU	72%	42%	43%	42%	28%	67%
9	ESMO	44%	13%	5%	25%	6%	92%
10	ICSI	94%	67%	60%	50%	61%	50%
11	Iowa	89%	71%	29%	42%	11%	42%
12	Malaysia	50%	4%	48%	33%	39%	42%
13	NACB	94%	58%	81%	79%	28%	58%
14	NCC/Jp	72%	42%	79%	63%	6%	100%
15	NCCN	89%	83%	62%	75%	33%	58%
16	NCI	89%	46%	64%	54%	17%	50%
17	NCS/UK	94%	67%	62%	92%	56%	50%
18	UMHS	94%	33%	50%	58%	56%	92%
19	USPSTF	100%	46%	64%	71%	39%	100%

		Linee guida selezionate
1	ACPM	Lim LS, Sherin K and the American College of Preventive Medicine (ACPM) Prevention Practice Committee. Screening for Prostate Cancer in U.S. Men - ACPM Position Statement on Preventive Practice. Am J Prev Med 2008; 34:164-170.
2	ACS	Smith RA, Cokkinides V, Brawley OW. Cancer Screening in the United States, 2009: A Review of Current American Cancer Society Guidelines and Issues in Cancer Screening. CA Cancer J Clin 2009;59:27-34.
3	AGENAS	Bassi P, Rusticali B per l'Agenzia nazionale per i servizi sanitari regionali (AGENAS). Linee Guida Nazionali sul Carcinoma della Prostata. 2006. http://www.assr.it/le_linee_guida.html
4	AIOM	Associazione Italiana di Oncologia Medica. Linee Guida AIOM – Carcinoma della prostata. Aggiornamento 2009.
5	AUA	American Urological Association (AUA). Prostate-Specific Antigen Best Practice Statement: 2009 Update. 2009. http://www.auanet.org/content/guidelines-and-quality-care/clinical-guidelines.cfm
6	AURO	Associazione Urologi Italiani (AURO). Linee Guida su Carcinoma Prostatico: Diagnosi, Stadiazione e Terapia – 10a AUROLINE. 2008. http://www.auro.it/index.php/documenti-iniziative/linee-guida/
7	Brasile	Oliveira Reis L, Deeke Sasse A, Eduardo Matheus W, Denardi F, Mamprim Stopiglia R, Moreira da Silva M, Ferreira U. Prostate Cancer: evidence-based clinical practice. Actas Urológicas Españolas 2009;33:344-350
8	EAU	European Association of Urology (EAU). EAU Guidelines on Prostate Cancer. 2009. http://www.uroweb.org/nc/professional-resources/guidelines/online/
9	ESMO	Horwich A, Parker C, Kataja V On behalf of the ESMO Guidelines Working Group. Prostate cancer: ESMO Clinical Recommendations for diagnosis, treatment and follow-up. Annals of Oncology 20 (Supplement 4): iv76–iv78, 2009.
10	ICSI	Institute for Clinical Systems Improvement (ICSI). Health Care Guideline: Preventive Services for Adults. 2009. http://www.icsi.org/guidelines_and_more/gl_os_prot/preventive_health_maintenance/preventive_services_for_adults/preventive_services_for_adults__11.html
11	Iowa	Konety BR, Sharp VJ, Raut H, Williams RD. Screening and Management of Prostate Cancer in Elderly Men: The Iowa Prostate Cancer Consensus. Urology 2008;71:511-514
12	Malaysia	Health Technology Assessment Unit Medical Development Division Ministry of Health Malaysia. Mass Screening for Prostate Diseases. 2007. http://medicaldev.moh.gov.my/uploads/prostate%20awareness.pdf
13	NACB	Sturgeon CM, Duffy MJ, Stenman UH, et al. National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines for Use of Tumor Markers in Testicular, Prostate, Colorectal, Breast, and Ovarian Cancers. Clinical Chemistry 2008; 54:e11–e79
14	NCC/Jp	Hamashima C, Nakayama T, Sagawa M, Saito H, Sobue T. The Japanese Guideline for Prostate Cancer Screening. Jpn J Clin Oncol 2009;39:339-351
15	NCCN	National Comprehensive Cancer Network (NCCN). Prostate Cancer Early Detection – NCCN Clinical Practice Guidelines in Oncology. 2009. http://www.nccn.org/professionals/physician_gls/f_guidelines.asp
16	NCI	National Cancer Institute (NCI). Prostate Cancer Screening. 2009. http://www.cancer.gov/cancertopics/pdq/screening/prostate/healthprofessional
17	NCS/UK	UK National Screening Committee (NSC/UK). Lung Cancer - The UK NSC policy on prostate cancer screening/PSA testing in men over the age of 50. 2006. http://www.screening.nhs.uk/prostatecancer
18	UMHS	University of Michigan Health System (UMHS). Adult Preventive Health Care: Cancer Screening. 2007.
19	USPSTF	U.S. Preventive Services Task Force (USPSTF). Screening for Prostate Cancer: U.S. Preventive Services Task Force Recommendation Statement. Ann Intern Med 2008;148:185-191

Screening del tumore alla prostata.

Sintesi della qualità delle linee guida secondo i punteggi dello strumento AGREE

Le colonne riguardano i 6 domini relativi alla qualità delle 19 linee guida selezionate. Sull'asse verticale è riportata la percentuale cumulata di linee guida che ricade in uno dei 4 livelli di punteggio divisi in quartili (punteggio tra 0-25; punteggio tra 26-50; punteggio tra 51-75; punteggio tra 76-100). Il punteggio minimo è 0 (nessun parametro del dominio è soddisfatto dalla linea guida), quello massimo è 100 (tutti i parametri del dominio sono soddisfatti).

